

Annex H2

Monitoring Results for Soft Shore Ecology

Table H2.1 Results for Horseshoe Crabs during Qualitative Walk-through Surveys in December 2019

Sighting #	Species	Prosomal Width (cm)	Total Length (cm)
Monitoring Date: 3 December 2019			
Monitoring Station: TCB3			
1	<i>Tachypleus tridentatus</i>	1.0	1.5
2	<i>Tachypleus tridentatus</i>	1.6	3.2
3	<i>Tachypleus tridentatus</i>	0.8	1.2
4	<i>Tachypleus tridentatus</i>	1.9	3.8
5	<i>Tachypleus tridentatus</i>	1.7	5.0
6	<i>Tachypleus tridentatus</i>	3.9	7.3
7	<i>Tachypleus tridentatus</i>	2.7	4.8
	Mean (Range)	1.9 (0.8 - 3.9)	3.8 (1.2 - 7.3)
Monitoring Date: 17 December 2019			
Monitoring Station: THW			
1	<i>Tachypleus tridentatus</i>	5.0	10.6
2	<i>Tachypleus tridentatus</i>	2.4	4.9
3	<i>Tachypleus tridentatus</i>	2.2	4.7
4	<i>Tachypleus tridentatus</i>	2.8	5.5
	Mean (Range)	3.1 (2.2 - 5.0)	6.4 (4.7 - 10.6)

Table H2.2 *Results for Other Intertidal Soft Shore Communities during Qualitative Walk-through Surveys in December 2019*

Monitoring Station	Shore Height *	No. of Species
TCB1	H	45
	M	42
	L	39
	Overall	57
TCB2	H	31
	M	32
	L	29
	Overall	38
TCB3	H	29
	M	33
	L	33
	Overall	43
THW	H	40
	M	36
	L	31
	Overall	48

* H: +2mCD; M: +1.5mCD; L: +1mCD

Table H2.3 Results for Other Intertidal Soft Shore Communities during Quantitative Transect Surveys in December 2019

Monitoring Station	Shore Height *	Top Three Dominant Species	Density (ind./m ²)
TCB1	H	1 <i>Cerithidea diadjariensis</i>	228.0
		2 <i>Batillaria zonalis</i>	38.4
		3 <i>Batillaria multiformis</i>	37.6
	M	1 <i>Cerithidea diadjariensis</i>	76.8
		2 <i>Batillaria zonalis</i>	52.8
		3 <i>Monodonta labio</i>	32.8
	L	1 <i>Batillaria zonalis</i>	57.6
		2 <i>Lunella coronata</i>	38.4
		3 <i>Monodonta labio</i>	21.6
TCB2	H	1 <i>Cerithidea diadjariensis</i>	76.8
		2 <i>Littoraria articulata</i>	38.4
		3 <i>Monodonta labio</i>	24.8
	M	1 <i>Cerithidea diadjariensis</i>	110.4
		2 <i>Batillaria zonalis</i>	43.2
		3 <i>Cerithidea cingulata</i>	20.0
	L	1 <i>Cerithidea diadjariensis</i>	6.4
		2 <i>Batillaria zonalis</i>	4.0
		3 <i>Batillaria multiformis</i>	1.6
TCB3	H	1 <i>Cerithidea diadjariensis</i>	308.8
		2 <i>Batillaria zonalis</i>	235.2
		3 <i>Batillaria multiformis</i>	172.0
	M	1 <i>Cerithidea diadjariensis</i>	400.8
		2 <i>Batillaria zonalis</i>	94.4
		3 <i>Cerithidea cingulata</i>	46.4
	L	1 <i>Cerithidea diadjariensis</i>	112.0
		2 <i>Batillaria zonalis</i>	76.0
		3 <i>Lunella coronata</i>	9.6
THW	H	1 <i>Cerithidea diadjariensis</i>	143.2
		2 <i>Cerithidea cingulata</i>	64.8
		3 <i>Geloina erosa</i>	44.8
	M	1 <i>Cerithidea diadjariensis</i>	5.6
		2 <i>Cerithidea microptera</i>	4.8
		3 <i>Nassarius festivus / Terebralia sulcate / Batillaria zonalis</i>	4.0
	L	1 <i>Cerithidea diadjariensis</i>	208.8
		2 <i>Batillaria zonalis</i>	142.4
		3 <i>Cerithidea cingulata</i>	52.0

* H: +2mCD; M: +1.5mCD; L: +1mCD

Group	Species	TCB1			TCB2			TCB3			THW		
		H	M	L	H	M	L	H	M	L	H	M	L
Barnacle	<i>Balanus amphitrite</i>	++	+	+	+	+	+	+	+	+	+	+	+
Bivalve	<i>Anomalocardia squamosa</i>			+			+	+	+	+			+
Bivalve	<i>Barbatia virescens</i>	+	+	+					+	+		+	
Bivalve	<i>Circe</i> sp.												+
Bivalve	<i>Coecella chinensis</i>	+		+							+	+	+
Bivalve	<i>Corbula erythrodon</i>									+			
Bivalve	<i>Cyclina sinensis</i>	+	+	+				+	+	+		+	+
Bivalve	<i>Donax</i> sp.		+	+						+			
Bivalve	<i>Dosinia japonica</i>	+											
Bivalve	<i>Ervilia</i> sp.			+	+	+	+			+			
Bivalve	<i>Geloina erosa</i>	+	+	+	++	+	+	+	+	+	++	+	+
Bivalve	<i>Glaucanome chinensis</i>										+	+	+
Bivalve	<i>Gafrarium tumidum</i>					+							
Bivalve	<i>Hiatula diphos</i>												
Bivalve	<i>Laternula anatina</i>				+	+	+						
Bivalve	<i>Panopea generosa</i>	+											
Bivalve	<i>Saccostrea cucullata</i>	++	++	++	++	++	++	++	++	++	++	+	+
Bivalve	<i>Septifer virgatus</i>	+	+	+		+	+		+	+			
Bivalve	<i>Tapes variegatus</i>		+	+									
Bivalve	<i>Venerupis aspera</i>	+		+				+					
Bivalve	<i>Venerupis philippinarum</i>	+	+							+			
Chiton	<i>Acanthopleura japonica</i>			+									
Crab	<i>Clistocoeloma</i> sp.	+		+	+						+		
Crab	<i>Hemigrapsus sanguineus</i>	+	+	+	+	+	+	+	+		++	+	+
Crab	<i>Macrophthalmus</i> sp.	+	+	+	+	+	+		+	+	+	+	+
Crab	<i>Metaplax longipes</i>										+		+
Crab	<i>Metapograpsus frontalis</i>	+	+	+	+	+	+		+	+	+	+	+
Crab	<i>Parasesarma pictum</i>										+	+	
Crab	<i>Perisesarma bidens</i>	++	+		+	+	+		+		+	+	+
Crab	<i>Philyra pisum</i>	+											
Crab	<i>Scopimera globosa</i>	+	+	+	+	+	+	+	+	+	++	+	+
Crab	<i>Thalamita crenata</i>									+	+	+	
Crab	<i>Uca borealis</i>	+	+	+		+		+			++	+	+
Crab	<i>Uca lactea</i>	++	++		++	++	++	++	++		++	++	++
Crab	<i>Uca crassipes</i>	+	+								++		
Crab	<i>Uca splendida</i>				+								
Crab	<i>Varuna litterata</i>											+	
Fish	<i>Terapon jarbua</i>										+	+	+
Fish	<i>Mugilidae</i> sp.										+		
Fish	<i>Periophthalmus cantonensis</i>	+	+	+	++	++	+	+	+		+	+	+
Gastropod	<i>Batillaria multiformis</i>	+	+	+	++	+	++	++	+	+	+	++	++
Gastropod	<i>Batillaria zonalis</i>	++	++	++	+	+	++	++	++	++	+	++	++
Gastropod	<i>Cellana grata</i>	+	+	+	+	+	+	+	+	+	+		+
Gastropod	<i>Cerithidea cingulata</i>	+	+	+	+	+	+	+	+	+	++	+	++
Gastropod	<i>Cerithidea diadjariensis</i>	++	++	+	++	++	++	++	++	++	++	++	++
Gastropod	<i>Cerithidea microptera</i>				+			+			+	+	+
Gastropod	<i>Cerithidea rhizophorarum</i>		+					+				+	+
Gastropod	<i>Chlorostoma argyrostoma</i>		+								+		
Gastropod	<i>Clithon</i> spp.	+	+	+	+		+	+	+	+	+	+	+
Gastropod	<i>Echinolittorina radiata</i>						+						
Gastropod	<i>Echinolittorina malaccana</i>									+			
Gastropod	<i>Littoraria articulata</i>	++	+	+	++	+	+	++	+	+	+		
Gastropod	<i>Littoraria melanostoma</i>	+			+	+	+	+	+		+		
Gastropod	<i>Lunella coronata</i>	+	+	+		+	+	+	+	+			
Gastropod	<i>Mitra</i> sp.												
Gastropod	<i>Monodonta labio</i>	++	++	++	++	+	+	++	++	+	+	+	
Gastropod	<i>Monodonta neritoides</i>												
Gastropod	<i>Nassarius festivus</i>	+	+	+	+	+	+	+	+	+	+	++	+
Gastropod	<i>Nerita albicilla</i>	+				+	+						
Gastropod	<i>Nerita polita</i>	+	+	+				+	+	+	+	+	+
Gastropod	<i>Nipponacmea concinna</i>		+	+									
Gastropod	<i>Patelloida pygmaea</i>	+	+										
Gastropod	<i>Planaxis sulcatus</i>	+	+		+	+		+	+	+	+		
Gastropod	<i>Terebralia palustris</i>										+	+	
Gastropod	<i>Terebralia sulcata</i>	+	+	+				+	+	+	+	+	
Gastropod	<i>Thais clavigera</i>			+					+	+			
Hermit Crab	<i>Clibanarius</i> sp.	+	+	+	+	+	+	+	+	+	+	+	+
Horseshoe Crab	<i>Tachypleus tridentatus</i>								+	+		+	+
Sea Slater	<i>Ligia oceanica</i>	+			+	+					+	+	+
Seaslug	<i>Onchidium</i> sp.	+	+		+						+		
Worm	<i>Ampharetidae</i> sp.	+									+	+	
Worm	<i>Harmothoe imbricata</i>			+									
Worm	<i>Ochetostoma erythrogrammon</i>		+										
Worm	<i>Oligochaete</i> sp.	+	+	+	+	+	+					+	
Worm	<i>Siphonosoma</i> sp.		+					+	+				
Worm	<i>Sipunculus</i> sp.	+	+	++					+	+			
Worm	Ribbon Worm sp.	+	+	+	+	+							

Raw Data for Quantitative Transect Survey at Tung Chung Bay and Tai Ho Wan (December 2019)

Group	Species	TCB1																	
		H1	H2	H3	H4	H5	Density (ind. / m ² or % cover)	M1	M2	M3	M4	M5	Density (ind. / m ² or % cover)	L1	L2	L3	L4	L5	Density (ind. / m ² or % cover)
Bivalve	<i>Anomalocardia squamosa</i>						0.0						0.0						0.0
Bivalve	<i>Barbatia virescens</i>		1	1			1.6	1	1		3		4.0					4	3.2
Bivalve	<i>Coecella chinensis</i>						0.0						0.0						0.0
Bivalve	<i>Cyclina sinensis</i>	2		3			4.0					2	1.6			1		1	1.6
Bivalve	<i>Donax sp.</i>						0.0						0.0					1	0.8
Bivalve	<i>Ervilia sp.</i>						0.0						0.0						0.0
Bivalve	<i>Geloina erosa</i>	1	1		2	12	12.8	1		1			1.6						0.0
Bivalve	<i>Saccostrea cucullata</i>	<5%	5%	<5%	5%	5%	<5%	25%	5%	<5%	5%	<5%	7%	25%	40%	10%	15%	25%	23%
Bivalve	<i>Septifer virgatus</i>					<5%	<5%						0.0	5%					0.0
Bivalve	<i>Tapes variegatus</i>						0.0						0.0			1	1	3	4.0
Crab	<i>Hemigrapsus sanguineus</i>					1	0.8						0.0	1	1		1	1	3.2
Crab	<i>Macrophthalmus sp.</i>						0.0			1			0.8						0.0
Crab	<i>Metapograpsus frontalis</i>						0.0				1		0.8						0.0
Crab	<i>Thalamita crenata</i>						0.0						0.0						0.0
Crab	<i>Uca borealis</i>						0.0						0.0						0.0
Gastropod	<i>Batillaria multiformis</i>	1	26	3	15	2	37.6	7	6	1	10	1	20.0	3		3		3	7.2
Gastropod	<i>Batillaria zonalis</i>	11	20	4	10	3	38.4	5	3	8	34	16	52.8	30	4	8	9	21	57.6
Gastropod	<i>Cellana grata</i>						0.0				1		0.8	2					1.6
Gastropod	<i>Cerithidea cingulata</i>	21		25			36.8	3	1		2	10	12.8						0.0
Gastropod	<i>Cerithidea diadjariensis</i>	145	56	63	21		228.0	31	7	7	24	27	76.8	4		1			4.0
Gastropod	<i>Cerithidea microptera</i>						0.0						0.0						0.0
Gastropod	<i>Cerithidea rhizophorarum</i>						0.0						0.0						0.0
Gastropod	<i>Clithon spp.</i>	1		1			1.6				6	1	5.6						0.0
Gastropod	<i>Littoraria articulata</i>						0.0						0.0						0.0
Gastropod	<i>Lunella coronata</i>	1	2				2.4	3	2		13	2	16.0	9	9	4		26	38.4
Gastropod	<i>Monodonta labio</i>		4	1	4	1	8.0	2	9	1	28	1	32.8	9	8			10	21.6
Gastropod	<i>Nassarius festivus</i>	9		1			8.0						0.0			1	3	9	10.4
Gastropod	<i>Nerita albicilla</i>						0.0						0.0						0.0
Gastropod	<i>Nerita polita</i>						0.0		1				0.8					2	1.6
Gastropod	<i>Planaxis sulcatus</i>						0.0						0.0						0.0
Gastropod	<i>Terebralia palustris</i>						0.0						0.0						0.0
Gastropod	<i>Terebralia sulcata</i>						0.0						0.0						0.0
Hermit Crab	<i>Clibanarius sp.</i>						0.0	1					0.8		1				0.8
Worm	<i>Oligochaete sp.</i>		1		1		1.6			1			0.8	1					0.8
Worm	<i>Sipunculus sp.</i>						0.0	1			1		1.6	1	52	1	14		54.4

Raw Data for Quantitative Transect Survey at Tung Chung Bay and Tai Ho Wan (December 2019)

Group	Species	TCB2																	
		H1	H2	H3	H4	H5	Density (ind. / m ² or % cover)	M1	M2	M3	M4	M5	Density (ind. / m ² or % cover)	L1	L2	L3	L4	L5	Density (ind. / m ² or % cover)
Bivalve	<i>Anomalocardia squamosa</i>						0.0	1					0.8		1				0.8
Bivalve	<i>Barbatia virescens</i>						0.0						0.0						0.0
Bivalve	<i>Coecella chinensis</i>						0.0						0.0						0.0
Bivalve	<i>Cyclina sinensis</i>						0.0						0.0						0.0
Bivalve	<i>Donax sp.</i>						0.0						0.0						0.0
Bivalve	<i>Ervilia sp.</i>						0.0	1				1	1.6					1	0.8
Bivalve	<i>Geloina erosa</i>		1				0.8						0.0						0.0
Bivalve	<i>Saccostrea cucullata</i>			10%		10%	4%	20%	60%	5%	5%	10%	20%						0%
Bivalve	<i>Septifer virgatus</i>						0.0						0.0						0.0
Bivalve	<i>Tapes variegatus</i>						0.0						0.0						0.0
Crab	<i>Hemigrapsus sanguineus</i>						0.0						0.0						0.0
Crab	<i>Macrophthalmus sp.</i>						0.0						0.0						0.0
Crab	<i>Metapograpsus frontalis</i>						0.0						0.0						0.0
Crab	<i>Thalamita crenata</i>						0.0						0.0						0.0
Crab	<i>Uca borealis</i>						0.0						0.0						0.0
Gastropod	<i>Batillaria multiformis</i>				16	1	13.6		3		9		9.6				1	1	1.6
Gastropod	<i>Batillaria zonalis</i>		13				10.4	8	22		24		43.2					5	4.0
Gastropod	<i>Cellana grata</i>						0.0						0.0						0.0
Gastropod	<i>Cerithidea cingulata</i>				12		9.6		2	8	6	9	20.0						0.0
Gastropod	<i>Cerithidea diadjariensis</i>		58		36	2	76.8	5	22	11	12	88	110.4				2	6	6.4
Gastropod	<i>Cerithidea microptera</i>						0.0						0.0						0.0
Gastropod	<i>Cerithidea rhizophorarum</i>						0.0						0.0						0.0
Gastropod	<i>Clithon spp.</i>		2				1.6						0.0						0.0
Gastropod	<i>Littoraria articulata</i>	20		13		15	38.4						0.0						0.0
Gastropod	<i>Lunella coronata</i>			1		1	1.6	4	18				17.6						0.0
Gastropod	<i>Monodonta labio</i>	6		12		13	24.8		10		1	1	9.6						0.0
Gastropod	<i>Nassarius festivus</i>			1			0.8					2	1.6						0.0
Gastropod	<i>Nerita albicilla</i>						0.0		1				0.8						0.0
Gastropod	<i>Nerita polita</i>						0.0						0.0						0.0
Gastropod	<i>Planaxis sulcatus</i>	2					1.6						0.0						0.0
Gastropod	<i>Terebralia palustris</i>						0.0						0.0						0.0
Gastropod	<i>Terebralia sulcata</i>						0.0						0.0						0.0
Hermit Crab	<i>Clibanarius sp.</i>						0.0						0.0						0.0
Worm	<i>Oligochaete sp.</i>						0.0						0.0	1					0.8
Worm	<i>Sipunculus sp.</i>						0.0						0.0						0.0

Raw Data for Quantitative Transect Survey at Tung Chung Bay and Tai Ho Wan (December 2019)

Group	Species	TCB3																	
		H1	H2	H3	H4	H5	Density (ind. / m ² or % cover)	M1	M2	M3	M4	M5	Density (ind. / m ² or % cover)	L1	L2	L3	L4	L5	Density (ind. / m ² or % cover)
Bivalve	<i>Anomalocardia squamosa</i>						0.0						0.0				3		2.4
Bivalve	<i>Barbatia virescens</i>						0.0						0.0						0.0
Bivalve	<i>Coecella chinensis</i>						0.0						0.0						0.0
Bivalve	<i>Cyclina sinensis</i>		2				1.6						0.0		1		1		1.6
Bivalve	<i>Donax sp.</i>						0.0						0.0	2	1		1		3.2
Bivalve	<i>Ervilia sp.</i>						0.0						0.0						0.0
Bivalve	<i>Geloina erosa</i>					2	1.6	1	1				1.6	1					0.8
Bivalve	<i>Saccostrea cucullata</i>	<5%		5%	<5%	<5%	<5%		10%	10%		10%	6%	5%	10%	25%	<5%	20%	12%
Bivalve	<i>Septifer virgatus</i>						0.0						0.0						0.0
Bivalve	<i>Tapes variegatus</i>						0.0						0.0						0.0
Crab	<i>Hemigrapsus sanguineus</i>						0.0	1		1		1	2.4						0.0
Crab	<i>Macrophthalmus sp.</i>						0.0						0.0	1					0.8
Crab	<i>Metapograpsus frontalis</i>						0.0						0.0						0.0
Crab	<i>Thalamita crenata</i>						0.0						0.0		1				0.8
Crab	<i>Uca borealis</i>						0.0						0.0						0.0
Gastropod	<i>Batillaria multiformis</i>	30	50	35	50	50	172.0	5	3		1		7.2	5	1			3	7.2
Gastropod	<i>Batillaria zonalis</i>	47	37	70	65	75	235.2	20	54	8	26	10	94.4	13	23	30	21	8	76.0
Gastropod	<i>Cellana grata</i>			1			0.8						0.0						0.0
Gastropod	<i>Cerithidea cingulata</i>	2	10	11	5	10	30.4	3	6	12	24	13	46.4	9	4				10.4
Gastropod	<i>Cerithidea diadjarimensis</i>	42	115	74	45	110	308.8	98	210	20	92	81	400.8	61	71	1	3	4	112.0
Gastropod	<i>Cerithidea microptera</i>						0.0						0.0						0.0
Gastropod	<i>Cerithidea rhizophorarum</i>						0.0						0.0						0.0
Gastropod	<i>Clithon spp.</i>	7	2	6	4	7	20.8		3				2.4			1			0.8
Gastropod	<i>Littoraria articulata</i>						0.0						0.0						0.0
Gastropod	<i>Lunella coronata</i>					2	1.6	7	2	5			11.2	2	6	2		2	9.6
Gastropod	<i>Monodonta labio</i>				1		0.8	6	4			5	12.0		1				0.8
Gastropod	<i>Nassarius festivus</i>			2			1.6	3			5	3	8.8		1		1	1	2.4
Gastropod	<i>Nerita albicilla</i>						0.0						0.0						0.0
Gastropod	<i>Nerita polita</i>				2		1.6			3		4	5.6						0.0
Gastropod	<i>Planaxis sulcatus</i>						0.0						0.0						0.0
Gastropod	<i>Terebralia palustris</i>						0.0						0.0						0.0
Gastropod	<i>Terebralia sulcata</i>						0.0						0.0						0.0
Hermit Crab	<i>Clibanarius sp.</i>						0.0				1		0.8			1			0.8
Worm	<i>Oligochaete sp.</i>						0.0						0.0						0.0
Worm	<i>Sipunculus sp.</i>						0.0		5	1	1	2	7.2	1		1		1	2.4

Raw Data for Quantitative Transect Survey at Tung Chung Bay and Tai Ho Wan (December 2019)

Group	Species	THW																	
		H1	H2	H3	H4	H5	Density (ind. / m ² or % cover)	M1	M2	M3	M4	M5	Density (ind. / m ² or % cover)	L1	L2	L3	L4	L5	Density (ind. / m ² or % cover)
Bivalve	<i>Anomalocardia squamosa</i>						0.0						0.0					1	
Bivalve	<i>Barbatia virescens</i>						0.0		2				1.6						0.0
Bivalve	<i>Coecella chinensis</i>						0.0						0.0		1		2		2.4
Bivalve	<i>Cyclina sinensis</i>						0.0						0.0				1		0.8
Bivalve	<i>Donax sp.</i>						0.0						0.0						0.0
Bivalve	<i>Ervilia sp.</i>						0.0						0.0						0.0
Bivalve	<i>Geloina erosa</i>	12	10	12	11	11	44.8						0.0						0.0
Bivalve	<i>Saccostrea cucullata</i>	<5%				<5%	<5%		15%	5%	<5%	<5%	<5%	<5%		5%	20%		<5%
Bivalve	<i>Septifer virgatus</i>						0.0						0.0						0.0
Bivalve	<i>Tapes variegatus</i>						0.0						0.0						0.0
Crab	<i>Hemigrapsus sanguineus</i>						0.0	1					0.8				1		0.8
Crab	<i>Macrophthalmus sp.</i>						0.0						0.0						0.0
Crab	<i>Metapograpsus frontalis</i>						0.0						0.0						0.0
Crab	<i>Thalamita crenata</i>						0.0						0.0						0.0
Crab	<i>Uca borealis</i>						0.0				1		0.8			1	1	1	2.4
Gastropod	<i>Batillaria multiformis</i>						0.0						0.0	4		4	48	2	46.4
Gastropod	<i>Batillaria zonalis</i>						0.0			1	2	2	4.0	45	23	21	47	42	142.4
Gastropod	<i>Cellana grata</i>						0.0						0.0						0.0
Gastropod	<i>Cerithidea cingulata</i>	15		66			64.8						0.0	28	3	8	22	4	52.0
Gastropod	<i>Cerithidea diadjariensis</i>	87	10	80	2		143.2	1	4			2	5.6	91	46	36	63	25	208.8
Gastropod	<i>Cerithidea microptera</i>						0.0		3	3			4.8						0.0
Gastropod	<i>Cerithidea rhizophorarum</i>						0.0		1				0.8						0.0
Gastropod	<i>Clithon spp.</i>						0.0	1					0.8			4	3	1	6.4
Gastropod	<i>Littoraria articulata</i>						0.0						0.0						0.0
Gastropod	<i>Lunella coronata</i>						0.0						0.0						0.0
Gastropod	<i>Monodonta labio</i>						0.0						0.0						0.0
Gastropod	<i>Nassarius festivus</i>						0.0	5					4.0	4					3.2
Gastropod	<i>Nerita albicilla</i>						0.0						0.0						0.0
Gastropod	<i>Nerita polita</i>						0.0						0.0				1		0.8
Gastropod	<i>Planaxis sulcatus</i>						0.0						0.0						0.0
Gastropod	<i>Terebralia palustris</i>						0.0		1				0.8						0.0
Gastropod	<i>Terebralia sulcata</i>				1		0.8		5				4.0						0.0
Hermit Crab	<i>Clibanarius sp.</i>						0.0						0.0						0.0
Worm	<i>Oligochaete sp.</i>						0.0					1	0.8						0.0
Worm	<i>Sipunculus sp.</i>						0.0						0.0						0.0