

Annex C

Status of Submissions and Implementation Status of Mitigation Measures under EP

| EP Condition | Submission / Implementation Status | Status |
|---------------------|--|---|
| 2.1 | Set up of Community and Professional Liaison Groups | Community and Professional Liaison Groups were set up. |
| 2.1 | Complaint Management Plan (for Contract 1) | Accepted by EPD |
| 2.5 | Employment of Qualified Ecologist(s) | Qualified Ecologists have been employed to carry out work relating to ecological aspects. |
| 2.6 | Employment of Surveillance Team | Surveillance Team has been employed to conduct regular site inspection. |
| 2.11 | Management Organizations (for Contract 1) | Updated Submission was submitted to EPD on 22 June 2021 |
| 2.12 | Construction Works Schedule and Location Plans (for Contract 1) | Updated Plan was submitted on 1 February 2021 and accepted by EPD on 26 February 2021 |
| 2.13 | Works Vessel Travel Route Plan (for Contract 1) | Accepted by EPD |
| 2.14 | Eco-shoreline Implementation Plan (for Contract 1) | The Plan was submitted to EPD on 15 September 2020 and accepted by EPD on 23 November 2020 |
| 2.15 | Dolphin Watching Plan (for Contract 1) | Updated Plan was submitted on 21 September 2018 and accepted by EPD on 12 October 2018 |
| 2.16 | Silt Curtain Deployment Plan (for Contract 1) | Updated Plan was submitted to EPD on 15 September 2020 and accepted by EPD on 14 October 2020 |
| 2.17 | Spill Response Plan (for Contract 1) | Accepted by EPD |
| 2.18 | Plan on Provision of Buffer Zones | To be prepared no later than 3 months before the commencement of construction works at Tung Chung Valley. Refer to the EM&A Reports of TCW. |
| 2.19 | River Park Plan | To be prepared no later than 3 months before the commencement of construction works at Tung Chung Valley. Refer to the EM&A Reports of TCW. |
| 2.20 | Habitat Enhancement and Translocation Plan for Amphibian Species of Conservation Importance | To be prepared no later than 3 months before the commencement of construction works at Tung Chung Valley. Refer to the EM&A Reports of TCW. |
| 2.21 | Detailed Preservation and/or Translocation Plan for Plant Species of Conservation Importance | Accepted by EPD on 9 December 2021 |
| 2.22 | Detailed Compensatory Woodland Planting Plan | The Plan was submitted to EPD on 23 August 2021 |
| 2.23 | Plan for Review of Use of New Low Noise Road Surfacing Material(s) | To be prepared no later than 3 months before the commencement of roadworks |
| 2.24 | Waste Management Plan (for Contract 1) | Accepted by EPD |

| EP Condition | Submission / Implementation Status | Status |
|--------------|--|----------------------|
| 2.25 | (i) no dredging of marine sediment shall be carried out for the Project | Under implementation |
| | (ii) all reclamation filling works shall be carried out within a leading seawall of at least 200m; and | Under implementation |
| | (iii) silt curtains surrounding the reclamation area shall be deployed in accordance with the Silt Curtain Deployment Plan | Under implementation |
| 2.26 | Implement Silt Curtain Deployment Plan and Spill Response Plan | Under implementation |
| 2.27 | Implement dolphin exclusion zone of 250m around the reclamation site at Tung Chung East during the installation of the perimeter silt curtains and any re-deployment of the perimeter silt curtains by Qualified Ecologist(s) | Under implementation |
| 2.28 | Once the perimeter silt curtains are installed or re-deployed, the Dolphin Watching Plan shall be implemented as part of the EM&A programme | Under implementation |
| 2.29 | (i) no underwater blasting and percussive piling shall be carried out for the Project; and | Under implementation |
| | (ii) air compressors and other noisy equipment mounted on works vessels shall be acoustically-decoupled | Under implementation |
| 2.30 | Implement Works Vessel Travel Route Plan | Under implementation |
| | Implement Eco-shoreline Implementation Plan | Under implementation |
| | Implement Dolphin Watching Plan | Under implementation |
| 2.31 | Implement Plan on Provision of Buffer Zones, River Park Plan, Habitat Enhancement and Translocation Plan for Amphibian Species of Conservation Importance, Detailed Preservation and/or Translocation Plan for Plant Species of Conservation Importance and Detailed Compensatory Woodland Planting Plan | To be implemented |
| 2.32 | Implement Plan for review of the use of new road surfacing material(s) | To be implemented |
| | Implement Waste Management Plan | Under implementation |
| 2.33 | Install noise barriers and low noise road surfacing at the extended Chung Mun Road and Road D3 | To be implemented |
| | All noise mitigation measures implemented shall be properly maintained during the operation of the above roads | |

| EP | Submission / Implementation Status | Status |
|-----------|--|--|
| Condition | | |
| 2.34 | Implement a deodouriser with an odour removal efficiency of at least 95% shall be installed, operated and maintained within each sewage pumping station. The exhaust of the deodouriser shall be oriented away from sensitive receivers; and all odourous facilities of each sewage pumping station shall be enclosed and negative pressure shall be maintained within the facilities. | To be implemented |
| 2.35 | Enclose all the pumps inside a building structure | To be implemented |
| 2.36 | (i) a 100% standby pumping capacity shall be installed and maintained (ii) a 50% spare pumping capacity shall be installed and maintained (iii) dual-feed power supply shall be installed and maintained; and (iv) an emergency facility with a 6-hour storage capacity of average dry weather flow shall be installed and maintained. | To be implemented To be implemented To be implemented To be implemented |